Moonlight Instructions

Battery Safety Information

- Non-rechargeable batteries are not to be recharged.

- Rechargeable batteries are to be removed from the toy before being charged.

- Rechargeable batteries are only to be changed under adult supervision.

- Batteries are to be inserted with the correct polarity.

- Exhausted batteries are to be removed from the toy.

- The supply terminals are not to be short-circuited.

- Do not mix old and new batteries.

- Do not mix alkaline, standard (carbon-zinc), or rechargeable (nickel-cadmium) batteries.

- Do not dispose of batteries in fire. The battery may explode or leak.

Installing batteries into Moonlight

Tool required – Small Phillips head screwdriver

1. Use a Phillips head screwdriver to remove the battery cover.

2. Insert 4 "AA" batteries. Make sure the "+" and the "-" ends are inserted correctly, as indicated in the battery compartment. If inserted properly the ends of the battery should make firm contact with the terminals at each end.

3. Replace cover and secure screw.

4. IMPORTANT – switch Moonlight to the "ON" position before hanging on the wall. Note: The unit will not activate without the remote control.

Installing batteries into the remote control

Tool required – Small Phillips head screwdriver

1. Use a Phillips head screwdriver to remove the screw in the battery door.

2. Insert 2 "AAA" batteries. Make sure the "+" and the "-" ends are inserted correctly, as indicated in the battery compartment. If inserted properly the ends of the battery should make firm contact with the terminals at each end.

3. Replace cover and secure screw.

Hanging Moonlight

Note: Moonlight is only intended to hang vertically on a wall.

1. Hang Moonlight by one of the three hanging holes.

2. Select any one of the three holes to angle the moon to your desired position.

Using Moonlight

IMPORTANT: Before operating, be sure the ON/OFF switch located on the back of Moonlight is turned to the "ON" position.

On/Off

To turn the moon off, press the ON/OFF button on your remote. To turn the moon on, press the ON/OFF button again.

Note – Unless the timer is set, the Moonlight will remain ON until it is manually turned off.

Color

To manually cycle through the moon colors, press the Color button. If you leave the moon on a color it will maintain that color. To set the moon to cycle through all the colors, press the Color button 7 times after turning on the power. The color changing mode will activate following the grey-toned color.

Timer

To set the 20-minute bedtime sleep timer, press the Timer button (with the hourglass symbol) once. The moon should flash three times to indicate that the timer is set.

KEEP THESE INSTRUCTIONS FOR FUTURE REFERENCE – DO NOT DISCARD

Manufactured by JMW Sales, Inc.

Ashland, OR 97520 USA

MADE IN CHINA

FCC Info

- Caution: Changes or modification not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

- NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

  o Reorient or relocate the receiving antenna.

  o Increase the separation between the equipment and receiver.

  o Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

  o Consult the dealer or an experienced radio/TV technician for help.

Canada ICES-003

- CAN ICES-3 (B)/NMB-3 (B)